

7616-45

9/23/2014

1/10



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

SEP 23 2014

Ms. Cristina Griffin, Agent For: KIK Pool Additives, Inc.
Delta Analytical Corporation
12510 Prosperity Drive; Suite 160
Silver Spring, Maryland 20904

Subject: Notification per PR Notice 98-10 to Add 2 Alternate Brand Names
Kem Tek Kemklor II
EPA Registration Number: **7616-45**
Application Date: September 3, 2014
Application Receipt: September 4, 2014

Dear Ms. Griffin:

This acknowledges receipt of your Notification application, submitted under the provisions of FIFRA 3(c) 9 and PR Notice 98-10.

Purpose of the Notification:

KIK Pool Additives, Inc. is adding the following two Alternate Brand Names to EPA Reg. No. 7616-45:

Chlorinating Liquid
Pool Essentials Chlorinating Liquid

General Comments:


Based on the review of the information submitted, the following comments apply.

The Notification is **Acceptable**.

A copy of the accepted Notification is attached in **Regulatory File Jacket 7616-45** for future reference.

If you have questions or concerns with regard to this Agency Letter, please contact Killian Swift by email at Swift.Killian@epa.gov by telephone at **703-308-6346**. When you are submitting information or data in response to this Agency Letter, please send a copy of this Agency Letter with your response in order to facilitate processing.

Sincerely yours,



fn

Demson Fuller
EPA Product Manager 32
Regulatory Management Branch II
Antimicrobials Division 7510P



United States
Environmental Protection Agency
Washington, DC 20460

Registration
 Amendment
 Other

OPP Identifier Number

NOTIF

Application for Pesticide - Section I

1. Company/Product Number **7616-45**

2. EPA Product Manager
Demson Fuller

3. Proposed Classification
 None Restricted

4. Company/Product (Name) **KIK Pool Additives Inc. /
Kem Tek Kemklor II**

PM# **32**

5. Name and Address of Applicant (Include ZIP Code)
**KIK Pool Additives Inc.
c/o Delta Analytical Corp.
12510 Prosperity Drive, Suite 160
Silver Spring, MD 20904**
Check if this is a new address

6. **Expedited Review.** In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to:

EPA Reg. No. _____

Product Name _____

Section - II

Amendment - Explain below
 Resubmission in response to Agency letter dated _____
 Notification - Explain below.

Final printed labels in response to Agency letter dated _____
 "Me Too" Application.
 Other - explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification per PR Notice 98-10 to add 2 Alternate Brand Names.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material this Product will be Packaged in:

Child-Resistant Packaging
 Yes* For retail
 No

Unit Packaging
 Yes
 No

Water Soluble Packaging
 Yes
 No

2. Type of Container
 Metal
 Plastic
 Glass
 Paper
 Other (Specify)

* Certification must be submitted

If "Yes,"
Unit Package wgt. No. per container

If "Yes,"
Unit Package wgt. No. per container

3. Location of Net Contents Information
 Label Container

4. Size(s) of Retail Container

5. Location of Label Direction
 On Label or:
 On Labeling accompanying product

6. Manner In Which Label Is Affixed to Product
 Lithograph Paper glued Stenciled
 Other: _____

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)

Name
Cristina Griffin

Title
Agent for KIK Pool Additives Inc.

Telephone No. (Include Area Code)
301-680-7971

Certification

I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any kind of knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

2. Signature

3. Title
Agent for KIK Pool Additives Inc.

4. Typed Name
Cristina Griffin

5. Date
September 3, 2014

Date Application Received
(Stamped)

KEM TEK KEMKLOR II

5/10

[Previously approved Alternate Brand Names:]

Aqua Chem Balanced for Clean Pools Liquid Chlorinizer
Aqua Chem Liquid Chlorinizer
Aqua Guard Chlorinating Liquid
Bioguard Chlorinating Liquid
Desert Star Liquid Chlorinating Compound
HDX Chlorinating Liquid
Kem Tek KemKlor II Swimming Pool Chlorinating Liquid

Kem-Tek Pool & Spa Care Chlorinating Liquid
Leslie's Swimming Pool Supplies Liquid Chlorinator
Pro Guard Chlorinating Liquid
PRO SIDE Chlorinating Liquid & Shock

[Adding the following new Alternate Brand Name]

Chlorinating Liquid
Pool Essentials Chlorinating Liquid

Active Ingredient:
Sodium Hypochlorite.....10.0%
Other Ingredients90.0%
Total.....100.0%

NOTIFICATION
Date Reviewed: _____
Reviewed By: _____

09.23.14
KILLIAN SWIFT

KEEP OUT OF REACH OF CHILDREN

DANGER

**[SEE BACK [or SIDE] [or TOP] PANEL FOR [FIRST AID STATEMENT AND] OTHER PRECAUTIONS]
[or SEE FIRST AID STATEMENT AND ADDITIONAL PRECAUTIONS ON BACK [or SIDE] [or TOP] PANEL]**
[the "See back panel..." may be omitted if all labeling is on the same panel]

Net [Contents] Gallons [and/or fl. Oz.] [ml or liters] _____

FIRST AID: Call a poison control center [(1-800-222-1222)] [(1-866-366-5048)] or doctor for treatment advice. Have the product container or label with you when calling poison control center or doctor, or going for treatment. **If in Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. [Call a poison control center or doctor for treatment advice]. **If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. [Call a poison control center or doctor for treatment advice]. **If swallowed:** [Call a poison control center or doctor immediately for treatment advice]. Have person sip a glass of water if able to swallow. DO NOT induce vomiting unless told to [do so] by a poison control center or doctor. Do not give anything by mouth to an unconscious person. **If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth, if possible. [Call a poison control center or doctor for further treatment advice]. Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.
[First Aid may be in table form]

[The following may appear in any appropriate place on the label:]

Manufactured by [for]:
KIK Pool Additives Inc.
5160 E. Airport Dr.
Ontario, Calif. 91761

[Optional: Following may be included in addition to "Manufactured by [for]" address above: Distributed by [or Sold by] [or Marketed by] [or Marketed through] Insert additional company name and address]

EPA Reg. No. 7616-45
EPA Est. No.

Ontario CA 91761	7616-CA-1	Houston TX 77054	70271-TX-1
Santa Fe Springs, CA 90670	70271-CA-2	Woodridge, IL 60517	55852-IL-01
Denver CO 80207	70271-CO-1	Salem VA 24153	70271-VA-1
Auburndale FL 33823	70271-FL-1	Tacoma WA 98421	70271-WA-1
Hampton GA 30228	70271-GA-1	Concord ON CN L4K4K5	70271-CAN-1

[actual establishment shown in code above or below label printed on bottle]

Alternate Format for EPA Est. No.

EPA Est. No. 7616-CA-1 ^(C), 70271-CA-2 ^(G), CO-1 ^(L), FL-1 ^(M), GA-1 ^(S), TX-1 ^(B), VA-1 ^(P), WA-1 ^(F), CAN-1 ^(A), 55852-IL-1 ^(G²) [Letter designation in lot code printed above or below label on bottle identifies actual establishment]

[Free Pool Care Advice 1-800-SOS-POOL • www.kem-tek.com]

[Questions? Pool Care Tips? 1-800-SOS-POOL]

[In the text "this product" or alternate brand name may be substituted for KemKlor product name]

[[Information in brackets] is optional or instructional; italics in brackets indicate instructions not part of labeling.]

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

DANGER: Corrosive, may cause severe skin and eye irritation or chemical burns to broken skin. Causes eye damage. Do not get in eyes, on skin, or on clothing. Wear safety glasses or goggles and rubber gloves when handling this product. Wash after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until vapors have dissipated.

[In accordance with PR notice 95-1, use the following complete Environmental Hazards statement for containers 5 gallons and larger]

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

[For containers smaller than 5 gallons use the following:]

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic organisms.

Physical or Chemical Hazard

STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with chemicals (e.g. ammonia, acids, detergents, etc.) or organic matter (e.g. urine, feces, etc.) will release chlorine gas which is irritating to eyes, lungs, and mucous membranes.

[Optional Label Claims/location optional:]

2
 4 Step [Pool Care] System
 5-Step Pool Care System
 B
 Bioguard Care System
 Calcium Free
 Chlorinate
 Chlorinating Solution
 Chlorination & Shock Treatment
 Compatible with [or Works in] Chlorine Generator Systems
 Compatible with [or Works in] Salt Generator Systems
 Cyanuric Acid Free [CYA FREE] [No Cyanuric Acid] [NO CYA] *[this is informational to assist consumers with compatibility questions]*
 Daily Chlorinator
 Disinfect[s]
 [NOTE:] Do not allow direct contact of this product on the following surfaces: vinyl, metallic, fiberglass, painted or colored plaster. Always dilute in water; direct contact with surfaces will bleach color.
 Easy 1 2 3 Pool Care Brand System
 Easy and Effective Pool Remedies
 Easy To Use
 Fast Acting
 For All Pool Types
 For Everyday Chlorination & Shock Treatment
 For Pool Disinfection
 For Quick Chlorine Boost
 Kills Algae [and Bacteria]
 Kills Bacteria
 Liquid Shock Treatment
 Once a week
 No Deposit / No Return
 Not For Retail Sale
 Part # XXXXXX *[X represent s 6 digit #]*
 Pool Disinfectant
 Salt System Compatible
 Step B
 Step 2
 Suitable for Above Ground Pools
 Super Chlorination
 Swimming Pool Chlorinating Liquid
 Unstabilized
 Use in [or For use in] [or Compatible with] Above Ground Pools
 Value Size 3 Pack *[# of units in pack can be changed depending on package size]*
 Works In Salt Generator Systems

[Information for cases/transport/bottles]

Attention Customer - Check Cap tightness before leaving store
 Attention Van and SUV owners: After tightening cap- Transport in rear storage area of vehicle in a plastic milk crate or cardboard box, blocked to hold upright.
 Attention: Vented Cap, product may leak if case is tipped
 Carefully Inspect entire package before touching or lifting carton
 Consumer Commodity – ORM-D
 Customer Responsibility: Read Transportation Instructions Before Purchase
 Check Cap tightness before leaving store
 Do not store chlorine by [near] acid
 Do Not Transport inside car. Product will damage carpeting, cloth, and leather.
 If you see any signs of leakage, damage or staining, call store manager
 Keep box upright at all times.

[In the text "this product" or alternate brand name may be substituted for KemKlor product name]

[[Information in brackets] is optional or instructional; italics in brackets indicate instructions not part of labeling.]

8/10

Leaks if Tipped

Product Requires Vented Cap

Push In

Read Customer Responsibility on Top Lid Before Purchasing

Sold By Case Only

Sold only by the case

Store in a cool dry place

The manufacturer assumes no liabilities for mishandling or misuse

Tightly secure This Package When Transporting and Storing.

Transport in blocked upright position in trunk only

This Side UP – Don't Tip [Do Not Tip]

Vented Cap – Do Not Tip Bottle – Cap will leak, product will damage carpet or cloth on contact.

NOTICE: This product is intended for SWIMMING POOL TREATMENT ONLY

- DO NOT TRANSPORT IN PASSENGER COMPARTMENT OF VEHICLE
- SPILLAGE MAY CAUSE INJURY TO PERSON OR PROPERTY
- CARRY IN SEPARATED BAGGAGE COMPARTMENT OR A LEAK-PROOF CONTAINER BRACED IN AN UPRIGHT POSITION
- BOTTLES LEAK IF TIPPED

[In the text "this product" or alternate brand name may be substituted for KemKlor product name]

[[Information in brackets]] is optional or instructional; italics in brackets indicate instructions not part of labeling.]

9/10

DIRECTIONS FOR USE:

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

NOTE: This product degrades with age. Use a chlorine test kit and increase dosage as necessary to obtain the required level of available chlorine.

SWIMMING POOL WATER DISINFECTION: Add 13 fl. oz. of this product for each 10,000 gal. [gallons] of water to yield an available chlorine residual of 1 ppm. Maintain 1.0 to 3.0 ppm in unstabilized pools and 1.0 to 1.5 ppm in stabilized pools. To start-up or superchlorinate (shock treatment) a pool add 64 to 128 fl. oz. of this product for each 10,000 gal. [gallons] of water to yield 5 to 10 ppm chlorine residual. **DO NOT** enter pool until residual is less than 4.0 ppm. Add this product at night while running pump and filter. Check in the morning and adjust as necessary.

IMPORTANT Maintain pH between 7.2 to [and] 7.6. Maintain alkalinity between 50 to [and] 100 ppm.

WINTERIZING POOLS: While water is still clear and clean, apply 40 fl. oz. of product per 10,000 gallons, while filter is running, to obtain a 3 ppm available chlorine residual, as determined by a suitable test kit. Cover pool, prepare heater, filter and heater components for winter by following manufacturers' instructions.

[Reader's Note: [Other appropriate ounces product and corresponding gallons of water treated may be substituted on label.] [All oz. may be expressed as fl. oz. or oz.]











STORAGE AND DISPOSAL:

Do not contaminate water, food, or feed by storage, disposal or cleaning of equipment.

STORAGE: Keep product in tightly closed container when not in use. Store in a cool, dry area away from direct sunlight and heat to avoid deterioration. In case of spill, flood area with large quantities of water.

PRODUCT DISPOSAL: Product or rinsates that cannot be used must be diluted with water before disposal in a sanitary sewer. **CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available or place in trash [collection].

[OPTIONAL GRAPHICS]



[number of bottles may change]

